SAFETY DATA SHEET



RRHD Aqueous Method Development Kit, Part Number 5190-6154

Section 1. Identification

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

Product name : RRHD Aqueous Method Development Kit, Part Number 5190-6154

Part no. (chemical kit) : 5190-6154

Part no. : RRHD SB-Aq 857700-914

RRHD Eclipse Plus Ph-Hex 959757-912 RRHD Bonus-RP 857768-901

Validation date : 4/1/2022

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical chemistry.

Column

RRHD SB-Aq 2.1 x 50 mm, 1.8 um, 1200 bar

Solvent Volume: 0.1 ml

RRHD Eclipse Plus Ph-Hex 2.1 x 50 mm, 1.8 um Solvent Volume:

0.1 ml

RRHD Bonus-RP 2.1 x 50 mm, 1.8 um, 1200 bar

Solvent Volume: 0.1 ml

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer: Agilent Technologies, Inc.

5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

OSHA/HCS status : RRHD SB-Aq This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA

RRHD Eclipse Plus Ph-Hex This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA

RRHD Bonus-RP

This material is considered hazardous by the OSHA
Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

RRHD SB-Aq

H225 FLAMMABLE LIQUIDS - Category 2 H319 EYE IRRITATION - Category 2A

H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

RRHD Eclipse Plus Ph-Hex

H225 FLAMMABLE LIQUIDS - Category 2

Date of issue: 04/01/2022 1/26

Section 2. Hazards identification

H319 EYE IRRITATION - Category 2A

H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

RRHD Bonus-RP

H225 FLAMMABLE LIQUIDS - Category 2 H319 EYE IRRITATION - Category 2A

H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

2.2 GHS label elements

Hazard pictograms : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Signal word : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex Danger

RRHD Bonus-RP Danger

Hazard statements : RRHD SB-Aq H225 - Highly flammable liquid and vapor.

H319 - Causes serious eye irritation.

H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

RRHD Eclipse Plus Ph-Hex H225 - Highly flammable liquid and vapor.

Danger

H319 - Causes serious eye irritation.

H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver) H225 - Highly flammable liquid and vapor.

RRHD Bonus-RP H225 - Highly flammable liquid and var H319 - Causes serious eye irritation.

H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Precautionary statements

Prevention : RRHD SB-Aq P280 - Wear eye or face protection.

P210 - Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P241 - Use explosion-proof electrical, ventilating or

lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P233 - Keep container tightly closed.

P260 - Do not breathe vapor.

RRHD Eclipse Plus Ph-Hex P280 - Wear eye or face protection.

P210 - Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking

P241 - Use explosion-proof electrical, ventilating or

Date of issue: 04/01/2022 **2/26**

Section 2. Hazards identification

lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P233 - Keep container tightly closed.

P260 - Do not breathe vapor.

RRHD Bonus-RP P280 - Wear eye or face protection.

P210 - Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P241 - Use explosion-proof electrical, ventilating or

lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P233 - Keep container tightly closed.

P260 - Do not breathe vapor.

Response : RRHD SB-Aq P314 - Get medical advice or attention if you feel

unwell.

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

RRHD Eclipse Plus Ph-Hex P314 - Get medical advice or attention if you feel

unwell.

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

RRHD Bonus-RP P314 - Get medical advice or attention if you feel

unwell.

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

advice or attention.

Storage : RRHD SB-Aq P403 + P235 - Store in a well-ventilated place.

Keep cool.

RRHD Eclipse Plus Ph-Hex P403 + P235 - Store in a well-ventilated place.

Keep cool.

RRHD Bonus-RP P403 + P235 - Store in a well-ventilated place.

Keep cool.

Disposal : RRHD SB-Aq P501 - Dispose of contents and container in

accordance with all local, regional, national and

international regulations.

RRHD Eclipse Plus Ph-Hex P501 - Dispose of contents and container in

accordance with all local, regional, national and

international regulations.

RRHD Bonus-RP P501 - Dispose of contents and container in

accordance with all local, regional, national and

international regulations.

Supplemental label elements

pplemental label : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex RRHD Bonus-RP

None known. None known. None known.

2.3 Other hazards

Date of issue: 04/01/2022 **3/26**

Section 2. Hazards identification

Hazards not otherwise classified

: RRHD SB-Aq RRHD Eclipse Plus Ph-Hex RRHD Bonus-RP None known. None known. None known.

Section 3. Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

Substance/mixture

: RRHD SB-Aq RRHD Eclipse Plus Ph-Hex RRHD Bonus-RP Mixture (encapsulated in article) Mixture (encapsulated in article) Mixture (encapsulated in article)

| Ingredient name | % | CAS number |
|--|-----------|------------|
| RRHD SB-Aq Acetonitrile | ≥10 - <22 | 75-05-8 |
| RRHD Eclipse Plus Ph-Hex Acetonitrile | ≥10 - <22 | 75-05-8 |
| RRHD Bonus-RP Acetonitrile | ≥10 - <22 | 75-05-8 |

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact : RRHD SB-Aq

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get

medical attention.

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get

medical attention.

RRHD Bonus-RP Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get

medical attention.

Date of issue: 04/01/2022 **4/26**

Section 4. First aid measures

Inhalation : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Skin contact : RRHD SB-Ag

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get

Date of issue: 04/01/2022 5/26

Section 4. First aid measures

: RRHD SB-Aq Ingestion

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact : RRHD SB-Aq

> RRHD Eclipse Plus Ph-Hex Causes serious eye irritation. Causes serious eye irritation.

RRHD Bonus-RP

Inhalation : RRHD SB-Aq

Skin contact

No known significant effects or critical hazards. RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

RRHD Bonus-RP No known significant effects or critical hazards.

RRHD SB-Aq No known significant effects or critical hazards.

Causes serious eye irritation.

RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

RRHD Bonus-RP No known significant effects or critical hazards.

Date of issue: 04/01/2022 6/26

Section 4. First aid measures

Ingestion : RRHD SB-Aq No known significant effects or critical hazards.

RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Over-exposure signs/symptoms

Ingestion

Eye contact: RRHD SB-Aq Adverse symptoms may include the following:

pain or irritation

watering redness

RRHD Eclipse Plus Ph-Hex Adverse symptoms may include the following:

pain or irritation

watering redness

RRHD Bonus-RP Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : RRHD SB-Aq No specific data.

RRHD Eclipse Plus Ph-Hex No specific data. RRHD Bonus-RP No specific data.

Skin contact: RRHD SB-Aq No specific data.

RRHD Eclipse Plus Ph-Hex No specific data. RRHD Bonus-RP No specific data. RRHD SB-Aq No specific data.

RRHD Eclipse Plus Ph-Hex No specific data. RRHD Bonus-RP No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : RRHD SB-Aq In case of inhalation of decomposition products in a

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

RRHD Bonus-RP In case of inhalation of decomposition products in a

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Specific treatments: RRHD SB-Aq No specific treatment.

RRHD Eclipse Plus Ph-Hex No specific treatment.

RRHD Bonus-RP No specific treatment.

Protection of first-aiders : RRHD SB-Aq No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

RRHD Eclipse Plus Ph-Hex No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

RRHD Bonus-RP

No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

See toxicological information (Section 11)

Date of issue: 04/01/2022 **7/26**

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

: RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex Use dry chemical, CO2, water spray (fog) or foam. Use dry chemical, CO₂, water spray (fog) or foam.

RRHD Bonus-RP

Unsuitable extinguishing media

RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Do not use water jet. Do not use water jet. Do not use water iet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: RRHD SB-Aq

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent

Use dry chemical, CO_2 water spray (fog) or foam.

explosion.

RRHD Eclipse Plus Ph-Hex

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent

explosion.

RRHD Bonus-RP

Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent

explosion.

Hazardous thermal decomposition products : RRHD SB-Ag

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides

metal oxide/oxides

cvanides

RRHD Eclipse Plus Ph-Hex Decomposition products may include the following

> materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

cyanides

RRHD Bonus-RP Decomposition products may include the following

> materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

cyanides

5.3 Advice for firefighters

Special protective actions for fire-fighters

: RRHD SB-Aq

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water

spray to keep fire-exposed containers cool.

Promptly isolate the scene by removing all persons RRHD Eclipse Plus Ph-Hex from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire

Date of issue: 04/01/2022 8/26

Section 5. Fire-fighting measures

RRHD Bonus-RP

area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: RRHD SB-Aq

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

RRHD Eclipse Plus Ph-Hex

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

RRHD Bonus-RP

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Date of issue: 04/01/2022 **9/26**

Section 6. Accidental release measures

For emergency responders : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an

appropriate waste disposal container. Dispose of

via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb

with an inert dry material and place in an appropriate waste disposal container. Dispose of

via a licensed waste disposal contractor.

Date of issue: 04/01/2022 **10/26**

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Advice on general occupational hygiene

: RRHD SB-Aq

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eves, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue: 04/01/2022 **11/26**

Section 7. Handling and storage

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex

RRHD Bonus-RP

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue: 04/01/2022 **12/26**

Section 7. Handling and storage

7.3 Specific end use(s)

Recommendations : RRHD SB-Aq Industrial applications, Professional applications.

> RRHD Eclipse Plus Ph-Hex Industrial applications, Professional applications. Industrial applications, Professional applications.

RRHD Bonus-RP

Industrial sector specific : RRHD SB-Aq Not available. RRHD Eclipse Plus Ph-Hex Not available. solutions

RRHD Bonus-RP Not available.

Section 8. Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------------------|--|
| RRHD SB-Aq Acetonitrile | ACGIH TLV (United States, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m³ 15 minutes. NIOSH REL (United States, 10/2020). TWA: 20 ppm 10 hours. TWA: 34 mg/m³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. |
| RRHD Eclipse Plus Ph-Hex Acetonitrile | ACGIH TLV (United States, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m³ 15 minutes. NIOSH REL (United States, 10/2020). TWA: 20 ppm 10 hours. TWA: 34 mg/m³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. |
| RRHD Bonus-RP Acetonitrile | ACGIH TLV (United States, 1/2021). Absorbed through skin. TWA: 20 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m³ 15 minutes. NIOSH REL (United States, 10/2020). |

04/01/2022 Date of issue: 13/26

Section 8. Exposure controls/personal protection

TWA: 20 ppm 10 hours. TWA: 34 mg/m³ 10 hours.

OSHA PEL (United States, 5/2018).

TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours.

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Date of issue: 04/01/2022 **14/26**

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : RRHD SB-Aq Solid. (containing flammable liquid)

RRHD Eclipse Plus Ph-Hex Solid. (containing flammable liquid)
RRHD Bonus-RP Solid. (containing flammable liquid)

Color : RRHD SB-Aq White.

RRHD Eclipse Plus Ph-Hex White. RRHD Bonus-RP White.

Odor : RRHD SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex Not available. RRHD Bonus-RP Not available.

Odor threshold : RRHD SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP
Not available.
Not available.

PRID SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP
Not available.
RRHD SB-Aq
Not available.

RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP
Not available.
RRHD SB-Aq
Not available.

Boiling point, initial boiling point, and boiling range

Melting point/freezing point

RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP
Not available.
Not available.

Flash point : RRHD SB-Aq Closed cup: -18 to 23°C (-0.4 to 73.4°F)

RRHD Eclipse Plus Ph-Hex Closed cup: -18 to 23°C (-0.4 to 73.4°F) RRHD Bonus-RP Closed cup: -18 to 23°C (-0.4 to 73.4°F)

Evaporation rate : RRHD SB-Aq Not available. RRHD Eclipse Plus Ph-Hex Not available.

RRHD Bonus-RP Not available.

Flammability : RRHD SB-Aq Contains: Flammable liquid

RRHD Eclipse Plus Ph-Hex Contains: Flammable liquid

RRHD Bonus-RP Not applicable.

Lower and upper explosion : RRHD SB-Aq Not available.

Iimit/flammability limit RRHD Eclipse Plus Ph-Hex Not available.

RRHD Bonus-RP Not available.

Vapor pressure

| | Vapo | Vapor Pressure at 20°C | | Vapor pressure at 50°C | | |
|------------------------------|-------|------------------------|--------|------------------------|------|--------|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| RRHD SB-Aq | | | | | | |
| Acetonitrile | 70.89 | 9.5 | | | | |
| water | 23.8 | 3.2 | | 92.258 | 12.3 | |
| RRHD Eclipse Plus Ph- Hex | | | | | | |
| Acetonitrile | 70.89 | 9.5 | | | | |
| water | 23.8 | 3.2 | | 92.258 | 12.3 | |
| RRHD Bonus-RP | | | | | | |
| Acetonitrile | 70.89 | 9.5 | | | | |
| water | 23.8 | 3.2 | | 92.258 | 12.3 | |

Date of issue: 04/01/2022 **15/26**

Section 9. Physical and chemical properties and safety characteristics

Relative vapor density : RRHD SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex RRHD Bonus-RP Not available.

RRHD SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex Not available. RRHD Bonus-RP Not available.

Solubility : RRHD SB-Aq Mobile phase: Soluble

RRHD Eclipse Plus Ph-Hex

Stationary phase: Insoluble
Mobile phase: Soluble
Stationary phase: Insoluble

RRHD Bonus-RP Mobile phase: Soluble Stationary phase: Insoluble

Partition coefficient: noctanol/water

Relative density

: RRHD SB-Aq
RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP

Not applicable.
Not applicable.
Not applicable.

Auto-ignition temperature

| Ingredient name | °C | °F | Method |
|--------------------------|-----|-------|--------|
| ₹ŘHD SB-Aq | | | |
| Acetonitrile | 524 | 975.2 | |
| | | | |
| RRHD Eclipse Plus Ph-Hex | | | |
| Acetonitrile | 524 | 975.2 | |
| | | | |
| RRHD Bonus-RP | | | |
| Acetonitrile | 524 | 975.2 | |

Decomposition temperature: RRHD SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex Not available.
RRHD Bonus-RP Not available.
RRHD SB-Aq Not available.

RRHD Eclipse Plus Ph-Hex Not available. RRHD Bonus-RP Not available.

Particle characteristics

hazardous reactions

Viscosity

Median particle size : RRHD SB-Aq Not applicable.

RRHD Eclipse Plus Ph-Hex Not applicable. RRHD Bonus-RP Not applicable.

Section 10. Stability and reactivity

10.1 Reactivity : RRHD SB-Aq No specific test data related to reactivity available

for this product or its ingredients.

for this product or its ingredients.

RRHD Bonus-RP No specific test data related to reactivity available

for this product or its ingredients.

10.2 Chemical stability : RRHD SB-Aq The product is stable.

RRHD Eclipse Plus Ph-Hex
RRHD Bonus-RP

The product is stable.
The product is stable.

10.3 Possibility of : RRHD SB-Aq

: RRHD SB-Aq Under normal conditions of storage and use,

hazardous reactions will not occur.

RRHD Eclipse Plus Ph-Hex Under normal conditions of storage and use,

hazardous reactions will not occur.

RRHD Bonus-RP Under normal conditions of storage and use,

hazardous reactions will not occur.

Date of issue: 04/01/2022 **16/26**

Section 10. Stability and reactivity

10.4 Conditions to avoid : RRHD SB-Aq Avoid all possible sources of ignition (spark or

flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources

fin, grind or expose containers to neat or so

of ignition.

RRHD Eclipse Plus Ph-Hex Avoid all possible sources of ignition (spark or

flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources

of ignition.

RRHD Bonus-RP Avoid all possible sources of ignition (spark or

flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources

of ignition.

10.5 Incompatible materials : RRHD SB-Aq Reactive or incompatible with the following

materials:

oxidizing materials

RRHD Eclipse Plus Ph-Hex Reactive or incompatible with the following

materials:

oxidizing materials

RRHD Bonus-RP Reactive or incompatible with the following

materials:

oxidizing materials. Incompatible with hydrogen

fluoride.

10.6 Hazardous decomposition products

: RRHD SB-Aq

Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

RRHD Eclipse Plus Ph-Hex Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

RRHD Bonus-RP Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|----------------------------|------------------------------------|---------|-------------------------|--------------|
| RRHD SB-Aq Acetonitrile | LC50 Inhalation Vapor | Rat | 17100 ppm | 4 hours |
| Acetoritine | LD50 Oral | | 2460 mg/kg | - |
| RRHD Eclipse Plus Ph-Hex | | | | |
| Acetonitrile | LC50 Inhalation Vapor | Rat | 17100 ppm | 4 hours |
| | LD50 Oral | Rat | 2460 mg/kg | - |
| RRHD Bonus-RP | | | | |
| Acetonitrile | LC50 Inhalation Vapor LD50 Oral | | 17100 ppm 2460 mg/kg | 4 hours - |

Irritation/Corrosion

Date of issue: 04/01/2022 **17/26**

Section 11. Toxicological information

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--------------------------|--------------------------|---------|-------|--------------------|-------------|
| RRHD SB-Aq | | | | | |
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 uL | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| RRHD Eclipse Plus Ph-Hex | | | | | |
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 uL | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| RRHD Bonus-RP | | | | | |
| Acetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 uL | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |

Sensitization

Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

| Name | Category | Route of exposure | Target organs |
|--------------------------|------------|-------------------|---|
| RRHD SB-Aq | | | |
| Acetonitrile | Category 2 | - | blood system, central nervous system (CNS), kidneys, liver |
| RRHD Eclipse Plus Ph-Hex | | | |
| Acetonitrile | Category 2 | - | blood system, central nervous system (CNS), kidneys, liver |
| RRHD Bonus-RP | | | |
| Acetonitrile | Category 2 | - | blood system, central nervous system (CNS), kidneys, liver |

Aspiration hazard

Not available.

Date of issue: 04/01/2022 18/26

Section 11. Toxicological information

Information on the likely

routes of exposure

: RRHD SB-Aq Routes of entry anticipated: Oral, Dermal,

Inhalation.

RRHD Eclipse Plus Ph-Hex Routes of entry anticipated: Oral, Dermal,

Inhalation.

RRHD Bonus-RP Routes of entry anticipated: Oral, Dermal,

Inhalation.

Potential acute health effects

Eye contact : RRHD SB-Aq Causes serious eye irritation.

> RRHD Eclipse Plus Ph-Hex Causes serious eye irritation. RRHD Bonus-RP Causes serious eye irritation.

No known significant effects or critical hazards. Inhalation : RRHD SB-Aq

> RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards. RRHD Bonus-RP No known significant effects or critical hazards.

Skin contact : RRHD SB-Aq No known significant effects or critical hazards.

> RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards. RRHD Bonus-RP No known significant effects or critical hazards.

No known significant effects or critical hazards. Ingestion : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

RRHD Bonus-RP No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : RRHD SB-Aq Adverse symptoms may include the following:

pain or irritation

watering redness

RRHD Eclipse Plus Ph-Hex Adverse symptoms may include the following:

pain or irritation

watering redness

RRHD Bonus-RP Adverse symptoms may include the following:

> pain or irritation watering

redness

Inhalation : RRHD SB-Aq No specific data.

> RRHD Eclipse Plus Ph-Hex No specific data. RRHD Bonus-RP No specific data. No specific data. : RRHD SB-Aq

RRHD Eclipse Plus Ph-Hex No specific data. RRHD Bonus-RP No specific data. : RRHD SB-Aq No specific data.

RRHD Eclipse Plus Ph-Hex No specific data. RRHD Bonus-RP No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Skin contact

Ingestion

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

04/01/2022 Date of issue: 19/26

Section 11. Toxicological information

RRHD Bonus-RP

General : RRHD SB-Aq May cause damage to organs through prolonged or repeated exposure. RRHD Eclipse Plus Ph-Hex May cause damage to organs through prolonged or repeated exposure. RRHD Bonus-RP May cause damage to organs through prolonged or repeated exposure. Carcinogenicity No known significant effects or critical hazards. : RRHD SB-Aq RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards. RRHD Bonus-RP No known significant effects or critical hazards. Mutagenicity : RRHD SB-Aq No known significant effects or critical hazards. RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards. RRHD Bonus-RP No known significant effects or critical hazards. Reproductive toxicity : RRHD SB-Aq No known significant effects or critical hazards. RRHD Eclipse Plus Ph-Hex No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/ I) |
|--------------------------|------------------|-------------------|-----|----------------------------------|---|
| RRHD SB-Aq | | | | | |
| RRHD SB-Aq | 2958.6 | 6508.9 | N/A | 65.1 | N/A |
| Acetonitrile | 500 | 1100 | N/A | 11 | N/A |
| RRHD Eclipse Plus Ph-Hex | | 5044 | | | |
| RRHD Eclipse Plus Ph-Hex | 2688.2 | | N/A | 59.1 | N/A |
| Acetonitrile | 500 | 1100 | N/A | 11 | N/A |
| RRHD Bonus-RP | | | | | |
| RRHD Bonus-RP | 2688.2 | 5914 | N/A | 59.1 | N/A |
| Acetonitrile | 500 | 1100 | N/A | 11 | N/A |

Section 12. Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--------------------------|---------------------------------------|------------------------------|----------|
| RRHD SB-Aq | | | |
| Acetonitrile | Acute IC50 3685000 μg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Acute LC50 3600000 μg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | | Fish - Pimephales promelas | 96 hours |
| | Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Chronic NOEC 160000 µg/l Fresh water | Daphnia - Daphnia magna | 21 days |
| RRHD Eclipse Plus Ph-Hex | | | |
| Acetonitrile | Acute IC50 3685000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Acute LC50 3600000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1000000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Chronic NOEC 160000 µg/l Fresh water | Daphnia - Daphnia magna | 21 days |
| RRHD Bonus-RP | | | |
| Acetonitrile | Acute IC50 3685000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |

Date of issue: 04/01/2022 **20/26**

Section 12. Ecological information

| Acute LC50 3600000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
|---------------------------------------|------------------------------|----------|
| Acute LC50 1000000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | | 21 days |

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|--|---|--------------------------|------|------------------|
| RRHD SB-Aq Acetonitrile | OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels | 70 % - Readily - 21 days | - | Activated sludge |
| RRHD Eclipse Plus Ph-Hex Acetonitrile | (Headspace Test) OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test) | 70 % - Readily - 21 days | - | Activated sludge |
| RRHD Bonus-RP Acetonitrile | OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test) | 70 % - Readily - 21 days | - | Activated sludge |

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|------------------|
| RRHD SB-Aq Acetonitrile | - | - | Readily |
| RRHD Eclipse Plus Ph-Hex Acetonitrile | - | - | Readily |
| RRHD Bonus-RP Acetonitrile | - | - | Readily |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--|--------|-----|-----------|
| RRHD SB-Aq Acetonitrile | -0.34 | 3 | low |
| RRHD Eclipse Plus Ph-Hex Acetonitrile | -0.34 | 3 | low |
| RRHD Bonus-RP Acetonitrile | -0.34 | 3 | low |

12.4 Mobility in soil

Date of issue: 04/01/2022 **21/26**

Section 12. Ecological information

Soil/water partition coefficient (Koc)

: Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

| Ingredient | CAS# | Status | Reference number |
|---|---------|--------|------------------|
| RRHD SB-Aq Acetonitrile (I,T) | 75-05-8 | Listed | U003 |
| RRHD Eclipse Plus Ph-Hex Acetonitrile (I,T) | 75-05-8 | Listed | U003 |
| RRHD Bonus-RP Acetonitrile (I,T) | 75-05-8 | Listed | U003 |

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

DOT / TDG / Mexico / IMDG / : Not regulated. **IATA**

Additional information

Date of issue: 04/01/2022 **22/26**

Section 14. Transport information

Remarks : Special provisions

DOT: 47 TDG: 56 MX: 216 IATA: A46 IMDG: 216

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) PAIR: Acetonitrile

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 307: Acetonitrile

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** : Listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

(Precursor Chemicals)

: Not listed

DEA List II Chemicals

(Essential Chemicals)

: Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

RRHD SB-Aq Classification

EYE IRRITATION - Category 2A FLAMMABLE LIQUIDS - Category 2 RRHD Eclipse Plus Ph-Hex EYE IRRITATION - Category 2A FLAMMABLE LIQUIDS - Category 2 RRHD Bonus-RP

EYE IRRITATION - Category 2A

FLAMMABLE LIQUIDS - Category 2

Composition/information on ingredients

04/01/2022 Date of issue: 23/26

Section 15. Regulatory information

| Name | % | Classification |
|--|------------------------|--|
| RRHD SB-Aq Organosilane bonded silica gel Acetonitrile | ≥50 - ≤75 ≥10 - <22 | COMBUSTIBLE DUSTS FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |
| RRHD Eclipse Plus Ph-Hex Organosilane bonded silica gel Acetonitrile | ≥50 - ≤75 ≥10 - <22 | COMBUSTIBLE DUSTS FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |
| RRHD Bonus-RP Organosilane bonded silica gel Acetonitrile | ≥50 - ≤75 ≥10 - <22 | COMBUSTIBLE DUSTS FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |

SARA 313

| | Product name | CAS number | % |
|---------------------------------|--|------------|-----------|
| Form R - Reporting requirements | RRHD SB-Aq Acetonitrile | 75-05-8 | ≥10 - <22 |
| | RRHD Eclipse Plus Ph-Hex Acetonitrile | 75-05-8 | ≥10 - <22 |
| | RRHD Bonus-RP Acetonitrile | 75-05-8 | ≥10 - <22 |
| Supplier notification | RRHD SB-Aq Acetonitrile | 75-05-8 | ≥10 - <22 |
| | RRHD Eclipse Plus Ph-Hex Acetonitrile | 75-05-8 | ≥10 - <22 |
| | RRHD Bonus-RP Acetonitrile | 75-05-8 | ≥10 - <22 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: ACETONITRILE

New York : The following components are listed: Acetonitrile; Ethanenitrile; Methyl cyanide

New Jersey : The following components are listed: ACETONITRILE; METHYL CYANIDE;

CYANOMETHANE

Pennsylvania : The following components are listed: ACETONITRILE

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Date of issue: 04/01/2022 **24/26**

Section 15. Regulatory information

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan : **Japan inventory (CSCL)**: All components are listed or exempted.

Japan inventory (ISHL): All components are listed or exempted.

New Zealand: All components are listed or exempted.

Philippines : Not determined.

Republic of Korea : MI components are listed or exempted.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : All components are listed or exempted.

United States : All components are active or exempted.

Viet Nam : Not determined.

Section 16. Other information

Procedure used to derive the classification

| Classification | Justification | |
|---|-----------------------|--|
| RRHD SB-Aq | | |
| FLAMMABLE LIQUIDS - Category 2 | On basis of test data | |
| EYE IRRITATION - Category 2A | Calculation method | |
| SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 | Calculation method | |
| RRHD Eclipse Plus Ph-Hex | | |
| FLAMMABLE LIQUIDS - Category 2 | On basis of test data | |
| EYE IRRITATION - Category 2A | Calculation method | |
| SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 | Calculation method | |
| RRHD Bonus-RP | | |
| FLAMMABLE LIQUIDS - Category 2 | On basis of test data | |
| EYE IRRITATION - Category 2A | Calculation method | |
| SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 | Calculation method | |

History

Date of issue : 04/01/2022 Date of previous issue : 03/19/2019

Version : 5

Date of issue: 04/01/2022 **25/26**

Section 16. Other information

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

✓ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue: 04/01/2022 26/26