

Page 1/10

Safety Data Sheet acc. to OSHA HCS

acc. to USH

Printing date 02/25/2021

Reviewed on 02/25/2021

1 Identification

· Product identifier

· Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

- · Part number: 5190-8215
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA

Tel: 800-227-9770

• Information department: e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Met. Corr.1H290May be corrosive to metals.Skin Corr. 1BH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

- · Label elements
- · GHS label elements
- *The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling: nitric acid
- · Hazard statements
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a poison center/doctor.
- P405 Store locked up.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 2)




Page 2/10

Safety Data Sheet acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]



RTECS: QU5775000 Ox. Liq. 3, H272; Acute Tox. 3, H331; Att Corr.1, H290; Skin Corr. 1A, H314

• Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

4 First-aid measures

- \cdot Description of first aid measures
- \cdot **General information:** Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- *Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse mouth. Do not induce vomiting.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)



Page 3/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment:
- Mouth respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

Mount respiratory Wear protective ed Environmental pr Dilute with plenty Do not allow to er Methods and mat Use neutralizing a Dispose contamin Ensure adequate Absorb liquid com DO NOT USE SA Reference to othe See Section 7 for i See Section 8 for i	of water. Iter sewers/ surface or ground water. erial for containment and cleaning up: agent. ated material as waste according to item 13. ventilation. uponents with liquid-binding material. WDUST.	
· PAC-1:		
CAS: 7697-37-2	nitric acid	0.16 ppm
CAS: 12037-01-3	Tetraterbium heptaoxide	30 mg/m ³
· PAC-2:		
CAS: 7697-37-2	nitric acid	24 ppm
CAS: 12037-01-3	Tetraterbium heptaoxide	330 mg/m ³
· PAC-3:		
CAS: 7697-37-2	nitric acid	92 ppm
CAS: 12037-01-3	Tetraterbium heptaoxide	$2,000 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- \cdot Precautions for safe handling
- Prevent formation of aerosols.
- Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed receptacles.



Page 4/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

(Contd. of page 3) • Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Please refer to the manufacturers certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat. • Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

Long-term value. 5 mg/m², 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
Breathing equipment: Not required.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

• Material of gloves PVC gloves Neoprene gloves

(Contd. on page 5)

US



Page 5/10

Safety Data Sheet acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

· Penetration time of glove material

(Contd. of page 4)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Appearance: Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	<2	
Change in condition		
Melting point/Melting range:	Not determined.	
	Not determined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.09318 g/cm ³ (9.12259 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
		(Contd. on page



Page 6/10

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

Kinematic:

Not determined.

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity

Stable under normal conditions.

No further relevant information available.

· Chemical stability Stable under normal conditions.

· Thermal decomposition / conditions to be avoided:

- Formation of toxic gases is possible during heating or in case of fire.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat.
- · Incompatible materials: Strong oxidizing agents. Metals.

• Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (rat)

· Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: Based on available data, the classification criteria are not met.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US



Page 7/10

(Contd. of page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity:
- CAS: 7697-37-2 nitric acid

LC50/48 180 mg/l (crustacean)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Dispose in accordance with national regulations.*
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	UN2031	
$\cdot DOT$	Nitric acid solution	
·ADR	2031 NITRIC ACID solution	
· IMDG, IATA	NITRIC ACID solution	
		(Contd. on noo

(Contd. on page 8)



Page 8/10

Safety Data Sheet acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

	(Contd. of pag
Transport hazard class(es)	
DOT	
and the second s	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
$\hat{\wedge}$	
8	
	8 Corrosive substances
Class Label	8 Corrosive substances
Packing group	П
DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler cod	le): 80
EMS Number:	F- A , S - B
Segregation groups	Acids
Stowage Category	D
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
· · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2031 NITRIC ACID SOLUTION, 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 nitric acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 nitric acid

(Contd. on page 9)

US



Page 9/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

(Contd. of page 8) · TSCA (Toxic Substances Control Act): All components have the value ACTIVE. · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: nitric acid · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. · Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. P280 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 10) US



Page 10/10

(Contd. of page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/25/2021

Reviewed on 02/25/2021

Product name: Terbium Standard: 10000 µg/mL Tb in 5% HNO3 [100ml bottle]

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Contact:

• Date of preparation / last revision 02/25/2021 / 1 · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 3: Oxidizing liquids - Category 3 Met. Corr. 1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 · Sources Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID. • Data compared to the previous version altered. All sections have been updated.