US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 5

Reviewed on 03/29/2019

1 Identification

· Product identifier

· Trade name: EM 200.7 SIC Standard III (125 mL)

- · Part number: ICM-242
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2 H315 Causes skin irritation.Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



Signal word Warning
Hazard statements

Causes skin irritation.
Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.



Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 1)

1.98%

· Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH $\frac{2}{2}$ Health = 2 FIRE 0 Fire = 0**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7697-37-2 nitric acid

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

US



Printing date 03/29/2019

Version Number 5

5

Version Number 5

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 2)

· Parsonal nr	ecautions, protective equipment and emergency procedures Not required.	
	ntal precautions: Do not allow to enter sewers/ surface or ground water.	
	ad material for containment and cleaning up:	
Absorb with	liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	o other sections	
	7 for information on safe handling. 8 for information on personal protection equipment.	
See Section	13 for disposal information.	
• Protective A	Action Criteria for Chemicals	
· PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7664-39-3	hydrogen fluoride	1.0 ppm
3251-23-8	copper dinitrate	8.9 mg/m ³
10377-66-9	manganese dinitrate	9.8 mg/m ³
10026-22-9	cobalt (II) nitrate hexahydrate	0.3 mg/m ³
7803-55-6	ammonium trioxovanadate	0.01 mg/m
· PAC-2:		
7697-37-2	nitric acid	24 ppm
7664-39-3	hydrogen fluoride	24 ppm
	copper dinitrate	31 mg/m ³
	manganese dinitrate	16 mg/m ³
10026-22-9	cobalt (II) nitrate hexahydrate	23 mg/m ³
7803-55-6	ammonium trioxovanadate	0.11 mg/n
· PAC-3:		
7697-37-2		92 ppm
7664-39-3	hydrogen fluoride	44 ppm
	copper dinitrate	190 mg/m
10377-66-9	manganese dinitrate	96 mg/m ³
	cobalt (II) nitrate hexahydrate	140 mg/m
7902 55 6	ammonium trioxovanadate	80 mg/m ³

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



*

Printing date 03/29/2019

US

Version Number 5

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Printing date 03/29/2019

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5.2 mg/m³, 2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

Eye protection:



Tightly sealed goggles



(Contd. on page 5)

Version Number 5

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 4)

Information on basic physical and c	hemical properties	
General Information	r r r	
Appearance:		
Form:	Fluid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	0.952 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Water:	97.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)



*

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 5)

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available. • **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 3,384 mg/L (rat)

7697-37-2 nitric acid

Inhalative LC50/4 h 67 mg/L (rat)

7664-39-3 hydrogen fluoride

Oral LD50 1,276 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

10026-22-9 cobalt (II) nitrate hexahydrate

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

US

2B



Printing date 03/29/2019

Version Number 5

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 6)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	Not Regulated, De minimus Quantities
· UN-Number · DOT, IMDG, IATA	UN3264
 [.] UN proper shipping name [.] DOT [.] IMDG, IATA 	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
 Packing group DOT, IMDG, IATA 	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Stowage Category	А
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
	(Contd. on page



Printing date 03/29/2019

Version Number 5

Version Number 5

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

(Contd. of page 7
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L
5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III
-

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Sala			
	· Section 355 (extremely hazardous substances):		
7697-37-2			
7664-39-3	hydrogen fluoride		
· Section 313	· Section 313 (Specific toxic chemical listings):		
7697-37-2	nitric acid		
7664-39-3	hydrogen fluoride		
	copper dinitrate		
	chromium (III) nitrate nonahydrate		
10377-66-9	manganese dinitrate		
	cobalt (II) nitrate hexahydrate		
7803-55-6	ammonium trioxovanadate		
· TSCA (Tox	TSCA (Toxic Substances Control Act):		
7697-37-2	nitric acid		
7664-39-3	hydrogen fluoride		
3251-23-8	copper dinitrate		
	manganese dinitrate		
7803-55-6	ammonium trioxovanadate		
7732-18-5			
-	Proposition 65		
· Chemicals	· Chemicals known to cause cancer:		
None of the	None of the ingredients is listed.		
· Chemicals	· Chemicals known to cause reproductive toxicity for females:		
None of the	None of the ingredients is listed.		
· Chemicals	known to cause reproductive toxicity for males:		
None of the	None of the ingredients is listed.		
	(Contd. on page 9)		
	(Contd. on page 9		

*

Printing date 03/29/2019

Printing date 03/29/2019

Version Number 5

Reviewed on 03/29/2019

Trade name: EM 200.7 SIC Standard III (125 mL)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

10377-66-9 manganese dinitrate

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory

- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/29/2019 / 4

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A * * Data compared to the previous version altered.



(Contd. of page 8)

D