

SAFETY DATA SHEET



Pursuit LC Columns with less than 10 ml ACN type solvent

Section 1. Identification

This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.

1.1 Product identifier

- Product name** : Pursuit LC Columns with less than 10 ml ACN type solvent
- Part no.** : A3030MG2, A3031MG2, A3040MG2, A3041MG2, A3050MG2, A3051MG2, A6000MG2, A6001MG2, A6010MG2, A6011MG2, A6020MG2, A6021MG2, A3041050X010, A3051050X010, A3040050X010, A6021050X010, A3032020X020, A3042020X020, A3031020X020, A3051020X020, A7000MG3, A7001MG3, A3041100X010, A3041030X020, A3051030X020, A3040030X020, A6021030X020, A6000030X020, A7501030X020, A7511030X020, A7521030X020, A3040030X021, A3041150X010, A3040150X010, A3031050X020, A3041050P020, A3041050X020, A3051050X020, A304201G, A3030050X020, A3040050X020, A3050050X020, A600201G, A6011050X020, A6021050X020, A6000050X020, A6020050X020, A7501050X020, A7511050X020, A7521050X020, A3030MG, A3031MG, A3040MG, A3041MG, A3050MG, A3051MG, A6000MG, A6001MG, A6002MG, A6010MG, A6011MG, A6020MG, A6021MG, A3030050X021, A3040050X021, A3051030X030, A6021030X030, A3031100X020, A3041100X020, A7001100X020, A3051100X020, A3040100X020, A3050100X020, A6011100X020, A6021100X020, A6000100X020, A7501100X020, A7511100X020, A7521100X020, A3040100X021, A3041050X030, A6000050X030, A3031150X020, A3041150X020, A3051150X020, A3030150X020, A3040150X020, A3050150X020, A6011150X020, A6021150X020, A6000150X020, A6010150X020, A6020150X020, A7501150X020, A7521150X020, A3041030X046, A3042030G046, A3030030X046, A3040030X046, A6021030X046, A3040150X021, A3050150X021, A3041200X020, A3030100T030, A3031100X030, A3041100X030, A7001100X030, A7001100R030, A3051100X030, A3030100R030, A7000100R030, A6000100C030, A6000100T030, A6001100C030, A6001100T030, A6011100X030, A6021100X030, A6000100X030, A6011100C030S, A7000100T030, A7001100C030, A6000100R030, A7501100X030, A3041250X020, A3051250X020, A3040250X020, A3050250X020, A6021250X020, A6000250X020, A6020250X020, A3031050X046, A3041050X046, A3041050R046, A3051050X046, A3030050X046, A3040050X046, A6002050X046S, A6001050C046, A6011050X046, A6021050X046, A6000050X046, A6020050X046, A3031150X030, A3031150C030, A3041150X030, A3041150R030, A7001150X030S, A3051150X030, A3050150X030, A6000150C030, A6000150T030, A6011150R030, A6021150X030, A6011150C030, A6000150X030, A6010150X030, A6000150R030, A6010150R030, A7501150X030, A7511150X030, A6021075X046, A7001100R040S, A3030125X040, A6000125X040, A6010125X040, A3031100X046, A3041100X046, A3041100R046, A7001100X046, A3041100C046, A7001100R046, A3051100X046, A3030100X046, A3050100X046, A6000100C046, A6001100C046, A6001100T046, A6011100X046, A6021100X046, A6000100X046, A6010100X046, A6020100X046, A7001100C046, A7001100T046, A7001100T046ANL, A6000100R046, A3040250C030, A3040250X030, A3050250X030, A6000250C030, A6000250X030, A7000250C030S, A6020250X030, A3030150X039, A6000150X040, A6010150X040, A6020150X040, A6000120X046, A6000125X046, A6010125X046, A3030150C046, A3032150X046, A3031150C046, A3031150X046, A3031150R046, A3041150X046, A3040150C046, A7001150X046S, A7001150R046, A3041150T046, A3051150X046, A3030150X046, A3040150X046, A7000150X046, A7000150R046, A3050150X046, A6000150C046, A6001150C046, A6011150X046, A6021150X046, A6010150C046, A6000150X046, A6010150X046, A7000150C046, A7000150T046, A6020150X046, A7001150C046, A7001150T046, A6000150R046, A3030250X040, A6000250X040, A6010250X040, A3050200X046, A6000200X046, A3032050G100, A6002050G100, A6000050DG100S, A6000050X100, A6000050G100, A3030250C046, A3032250X046, A3041250X046, A3040250C046, A3030250X046, A3030250R046, A3040250X046, A7000250X046, A7000250R046, A3050250X046, A6000250C046, A6002250X046, A6000250T046, A6011250X046, A6021250X046, A6000250X046, A6010250X046, A7000250C046, A7000250T046, A6020250X046, A6000250R046, A3040150X080,

Section 1. Identification

A6020100X100, A3041150X100, A3050150X100, A6002150X100, A6010150X100, A6000150X100

Validation date : 6/4/2021

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical chemistry.

HPLC Column

Solvent volume: <10 ml

A3030MG2	MetaGuard 2.0 mm Pursuit 5u C8 0.02mL Solvent
A3031MG2	MetaGuard 2.0 mm Pursuit 3u C8 0.02mL Solvent
A3040MG2	MetaGuard 2.0 mm Pursuit 5u DP 0.02mL Solvent
A3041MG2	MetaGuard 2.0 mm Pursuit 3u DP 0.02mL Solvent
A3050MG2	MetaGuard 2.0 mm Pursuit 5u PFP 0.02mL Solvent
A3051MG2	MetaGuard 2.0 mm Pursuit 3u PFP 0.02mL Solvent
A6000MG2	MetaGuard 2.0 mm Pursuit XRs 5U C18, 3/Pk 0.02mL Solvent
A6001MG2	MetaGuard 2.0 mm Pursuit XRs 3U C18, 3/Pk 0.02mL Solvent
A6010MG2	MetaGuard 2.0 mm Pursuit XRs 5U C8, 3/Pk 0.02mL Solvent
A6011MG2	MetaGuard 2.0 mm Pursuit XRs 3U C8, 3/Pk 0.02mL Solvent
A6020MG2	MetaGuard 2.0 mm Pursuit XRs 5U Dp, 3/Pk 0.02mL Solvent
A6021MG2	MetaGuard 2.0 mm Pursuit XRs 3U Dp, 3/Pk 0.02mL Solvent
A3041050X010	Pursuit 3 Diphenyl 50 x 1.0 mm
A3051050X010	Pursuit 3 PFP 50 x 1.0 mm 0.03mL Solvent
A3040050X010	Pursuit 5 Diphenyl 50 x 1.0 mm
A6021050X010	Pursuit XRs 3 Diphenyl 50 x 1.0 mm 0.03mL Solvent
A3032020X020	Pursuit 10 C8 20 x 2.0 mm 0.05mL Solvent
A3042020X020	Pursuit 10 Diphenyl 20 x 2.0 mm 0.05mL Solvent
A3031020X020	Pursuit 3 C8 20 x 2.0 mm 0.05mL Solvent
A3051020X020	Pursuit 3 PFP 20 x 2.0 mm 0.05mL Solvent
A7000MG3	Pursuit 5 PAH MetaGuard 3.0 mm 3/Pk
A7001MG3	Pursuit 3 PAH MetaGuard 3.0 mm 3/Pk
A3041100X010	Pursuit 3 Diphenyl 100 x 1.0 mm 0.06mL Solvent
A3041030X020	Pursuit 3 Diphenyl 30 x 2.0 mm
A3051030X020	Pursuit 3 PFP 30 x 2.0 mm 0.07mL Solvent
A3040030X020	Pursuit 5 Diphenyl 30 x 2.0 mm
A6021030X020	Pursuit XRs 3 Diphenyl 30 x 2.0 mm 0.07mL Solvent
A6000030X020	Pursuit XRs 5 C18 30 x 2.0 mm
A7501030X020	Pursuit XRs Ultra 2.8 C18 30 x 2.0 mm 0.07mL Solvent
A7511030X020	Pursuit XRS Ultra 2.8 C8 30 x 2.0 mm 0.07mL Solvent
A7521030X020	Pursuit XRS Ultra 2.8 Diphenyl 30x2.0 mm 0.07mL Solvent
A3040030X021	Pursuit 5 Diphenyl 30 x 2.1 mm
A3041150X010	Pursuit 3 Diphenyl 150 x 1.0 mm 0.09mL Solvent
A3040150X010	Pursuit 5 Diphenyl 150 x 1.0 mm 0.09mL Solvent
A3031050X020	Pursuit 3 C8 50 x 2.0 mm 0.11mL Solvent
A3041050P020	Pursuit 3 Diphenyl 50 x 2.0 mm
A3041050X020	Pursuit 3 Diphenyl 50 x 2.0 mm
A3051050X020	Pursuit 3 PFP 50 x 2.0 mm 0.11mL Solvent
A304201G	Pursuit 10u Diphenyl
A3030050X020	Pursuit 5 C8 50 x 2.0 mm 0.11mL Solvent
A3040050X020	Pursuit 5 Diphenyl 50 x 2.0 mm
A3050050X020	Pursuit 5 PFP 50 x 2.0 mm 0.11mL Solvent
A600201G	Pursuit XRs 10 C18 0.11mL Solvent
A6011050X020	Pursuit XRs 3 C8 50 x 2.0 mm
A6021050X020	Pursuit XRs 3 Diphenyl 50 x 2.0 mm 0.11mL Solvent
A6000050X020	Pursuit XRs 5 C18 50 x 2.0 mm
A6020050X020	Pursuit XRs 5 Diphenyl 50 x 2.0 mm 0.11mL Solvent
A7501050X020	Pursuit XRs Ultra 2.8 C18 50 x 2.0 mm 0.11mL Solvent
A7511050X020	Pursuit XRS Ultra 2.8 C8 50 x 2.0 mm 0.11mL Solvent
A7521050X020	Pursuit XRS Ultra 2.8 Diphenyl 50x2.0 mm 0.11mL Solvent
A3030MG	MetaGuard 4.6 mm Pursuit 5u C8 0.11mL Solvent
A3031MG	MetaGuard 4.6 mm Pursuit 3u C8 0.11mL Solvent
A3040MG	MetaGuard 4.6 mm Pursuit 5u DP 0.11mL Solvent
A3041MG	MetaGuard 4.6 mm Pursuit 3u DP 0.11mL Solvent
A3050MG	MetaGuard 4.6 mm Pursuit 5u PFP 0.11mL Solvent
A3051MG	MetaGuard 4.6 mm Pursuit 3u PFP 0.11mL Solvent

Section 1. Identification

A6000MG	MetaGuard 4.6 mm Pursuit XRs 5U C18, 3/Pk 0.11mL Solvent
A6001MG	MetaGuard 4.6 mm Pursuit XRs 3U C18, 3/P 0.11mL Solvent
A6002MG	MetaGuard 4.6 mm Pursuit XRs 10U C18, 3/P 0.11mL Solvent
A6010MG	MetaGuard 4.6 mm Pursuit XRs 5U C8, 3/Pk 0.11mL Solvent
A6011MG	MetaGuard 4.6 mm Pursuit XRs 3U C8, 3/Pk 0.11mL Solvent
A6020MG	MetaGuard 4.6 mm Pursuit XRs 5U Dp, 3/Pk
A6021MG	MetaGuard 4.6 mm Pursuit XRs 3U Dp, 3/Pk
A3030050X021	Pursuit 5 C8 50 x 2.1 mm 0.13mL Solvent
A3040050X021	Pursuit 5 Diphenyl 50 x 2.1 mm
A3051030X030	Pursuit 3 PFP 30 x 3.0 mm 0.15mL Solvent
A6021030X030	Pursuit XRs 3 Diphenyl 30 x 3.0 mm 0.15mL Solvent
A3031100X020	Pursuit 3 C8 100 x 2.0 mm 0.23mL Solvent
A3041100X020	Pursuit 3 Diphenyl 100 x 2.0 mm 0.23mL Solvent
A7001100X020	Pursuit 3 PAH 100 x 2.0 mm 0.23mL Solvent
A3051100X020	Pursuit 3 PFP 100 x 2.0 mm 0.23mL Solvent
A3040100X020	Pursuit 5 Diphenyl 100 x 2.0 mm 0.23mL Solvent
A3050100X020	Pursuit 5 PFP 100 x 2.0 mm 0.23mL Solvent
A6011100X020	Pursuit XRs 3 C8 100 x 2.0 mm 0.23mL Solvent
A6021100X020	Pursuit XRs 3 Diphenyl 100 x 2.0 mm 0.23mL Solvent
A6000100X020	Pursuit XRs 5 C18 100 x 2.0 mm
A7501100X020	Pursuit XRs Ultra 2.8 C18 100 x 2.0 mm
A7511100X020	Pursuit XRS Ultra 2.8 C8 100 x 2.0 mm
A7521100X020	Pursuit XRS Ultra 2.8 Diphenyl 100x2.0 mm 0.23mL Solvent
A3040100X021	Pursuit 5 Diphenyl 100 x 2.1 mm 0.25mL Solvent
A3041050X030	Pursuit 3 Diphenyl 50 x 3.0 mm
A6000050X030	Pursuit XRs 5 C18 50 x 3.0 mm
A3031150X020	Pursuit 3 C8 150 x 2.0 mm 0.34mL Solvent
A3041150X020	Pursuit 3 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A3051150X020	Pursuit 3 PFP 150 x 2.0 mm 0.34mL Solvent
A3030150X020	Pursuit 5 C8 150 x 2.0 mm 0.34mL Solvent
A3040150X020	Pursuit 5 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A3050150X020	Pursuit 5 PFP 150 x 2.0 mm 0.34mL Solvent
A6011150X020	Pursuit XRs 3 C8 150 x 2.0 mm
A6021150X020	Pursuit XRs 3 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A6000150X020	Pursuit XRs 5 C18 150 x 2.0 mm
A6010150X020	Pursuit XRs 5 C8 150 x 2.0 mm
A6020150X020	Pursuit XRs 5 Diphenyl 150 x 2.0 mm 0.34mL Solvent
A7501150X020	Pursuit XRs Ultra 2.8 C18 150X 2.0MM
A7521150X020	Pursuit XRs Ultra 2.8 Diphenyl 150X2.0 mm 0.34mL Solvent
A3041030X046	Pursuit 3 Diphenyl 30 x 4.6 mm
A3042030G046	Pursuit 10u DP 30 x 4.6 mm GUARD 0.36mL Solvent
A3030030X046	Pursuit 5 C8 30 x 4.6 mm 0.36mL Solvent
A3040030X046	Pursuit 5 Diphenyl 30 x 4.6 mm
A6021030X046	Pursuit XRs 3 Diphenyl 30 x 4.6 mm 0.36mL Solvent
A3040150X021	Pursuit 5 Diphenyl 150 x 2.1 mm 0.37mL Solvent
A3050150X021	Pursuit 5 PFP 150 x 2.1 mm 0.37mL Solvent
A3041200X020	Pursuit 3 Diphenyl 200 x 2.0 mm 0.45mL Solvent
A3030100T030	Pursuit 5 C8, S100x3.0 Repl.3
A3031100X030	Pursuit 3 C8 100 x 3.0 mm
A3041100X030	Pursuit 3 Diphenyl 100 x 3.0 mm 0.51mL Solvent
A7001100X030	Pursuit 3 PAH 100 x 3.0 mm
A7001100R030	Pursuit 3 PAH, S100 x 3.0 Repl.
A3051100X030	Pursuit 3 PFP 100 x 3.0 mm
A3030100R030	Pursuit 5 C8, S100x3.0 Repl
A7000100R030	PURSUIT 5 PAH, S100 X 3.0 REPL. 0.51mL Solvent
A6000100C030	Pursuit XRs 5-C18 S100 x 3.0 Col 0.51mL Solvent
A6000100T030	Pursuit XRs 5-C18 S100 x 3.0 Repl.3 0.51mL Solvent
A6001100C030	Pursuit XRs 3-C18 S100 x 3.0 Col
A6001100T030	Pursuit XRs 3-C18 S100 x 3.0 Repl.3 0.51mL Solvent
A6011100X030	Pursuit XRs 3 C8 100 x 3.0 mm
A6021100X030	Pursuit XRs 3 Diphenyl 100 x 3.0 mm 0.51mL Solvent
A6000100X030	Pursuit XRs 5 C18 100 x 3.0 mm
A6011100C030S	S Pursuit xRs 3 C8 100 x 3.0 mm Col 0.51mL Solvent
A7000100T030	PURSUIT 5 PAH, S100 X 3.0 REPL.3 0.51mL Solvent

Section 1. Identification

A7001100C030	Pursuit 3 PAH, S100 x 3.0 Col
A6000100R030	Pursuit XRs 5-C18 S100 x 3.0 Repl. 0.51mL Solvent
A7501100X030	Pursuit XRs Ultra 2.8 C18 100 x 3.0 mm
A3041250X020	Pursuit 3 Diphenyl 250 x 2.0 mm 0.57mL Solvent
A3051250X020	Pursuit 3 PFP 250 x 2.0 mm 0.57mL Solvent
A3040250X020	Pursuit 5 Diphenyl 250 x 2.0 mm 0.57mL Solvent
A3050250X020	Pursuit 5 PFP 250 x 2.0 mm 0.57mL Solvent
A6021250X020	Pursuit XRs 3 Diphenyl 250 x 2.0 mm 0.57mL Solvent
A6000250X020	Pursuit XRs 5 C18 250 x 2.0 mm
A6020250X020	Pursuit XRs 5 Diphenyl 250 x 2.0 mm
A3031050X046	Pursuit 3 C8 50 x 4.6 mm 0.60mL Solvent
A3041050X046	Pursuit 3 Diphenyl 50 x 4.6 mm
A3041050R046	Pursuit 3 Diphenyl, S50X4.6 Repl 0.60mL Solvent
A3051050X046	Pursuit 3 PFP 50 x 4.6 mm 0.60mL Solvent
A3030050X046	Pursuit 5 C8 50 x 4.6 mm 0.60mL Solvent
A3040050X046	Pursuit 5 Diphenyl 50 x 4.6 mm
A6002050X046S	S Pursuit XRs 10 C18 50 x 4.6 mm 0.60mL Solvent
A6001050C046	Pursuit XRs 3-C18, S50 X 4.6 Col
A6011050X046	Pursuit XRs 3 C8 50 x 4.6 mm 0.60mL Solvent
A6021050X046	Pursuit XRs 3 Diphenyl 50 x 4.6 mm 0.60mL Solvent
A6000050X046	Pursuit XRs 5 C18 50 x 4.6 mm
A6020050X046	Pursuit XRs 5 Diphenyl 50 x 4.6 mm 0.60mL Solvent
A3031150X030	Pursuit 3 C8 150 x 3.0 mm 0.76mL Solvent
A3031150C030	Pursuit 3 C8 , S150x3.0 Col 0.76mL Solvent
A3041150X030	Pursuit 3 Diphenyl 150 x 3.0 mm 0.76mL Solvent
A3041150R030	Pursuit 3 Diphenyl, S150X3.0 Repl 0.76mL Solvent
A7001150X030S	S Pursuit 3 PAH 150 x 3.0 mm 0.76mL Solvent
A3051150X030	Pursuit 3 PFP 150 x 3.0 mm 0.76mL Solvent
A3050150X030	Pursuit 5 PFP 150 x 3.0 mm 0.76mL Solvent
A6000150C030	Pursuit XRs 5-C18 S150 x 3.0 Col 0.76mL Solvent
A6000150T030	Pursuit XRs 5-C18 S150 x 3.0 Repl. 0.76mL Solvent
A6011150R030	Pursuit XRs 3 C8, S150 x 3.0 Repl. 0.76mL Solvent
A6021150X030	Pursuit XRs 3 Diphenyl 150 x 3.0 mm 0.76mL Solvent
A6011150C030	Pursuit XRs 3 C8, S150 x 3.0 Col.
A6000150X030	Pursuit XRs 5 C18 150 x 3.0 mm
A6010150X030	Pursuit XRs 5 C8 150 x 3.0 mm
A6000150R030	Pursuit XRs 5-C18 S150 x 3.0 Repl. 0.76mL Solvent
A6010150R030	Pursuit XRs 5-C8 S150 x 3.0 Repl. 0.76mL Solvent
A7501150X030	Pursuit XRs Ultra 2.8 C18 150 x 3.0 mm
A7511150X030	Pursuit XRs Ultra 2.8 C8 150 x 3.0 mm
A6021075X046	Pursuit XRs 3 Diphenyl 75 x 4.6 mm
A7001100R040S	S Pursuit 3 PAH 100 x 4.0 mm
A3030125X040	Pursuit 5 C8 125 x 4.0 mm
A6000125X040	Pursuit XRs 5 C18 125 x 4.0 mm
A6010125X040	Pursuit XRs 5 C8 125 x 4.0 mm
A3031100X046	Pursuit 3 C8 100 x 4.6 mm
A3041100X046	Pursuit 3 Diphenyl 100 x 4.6 mm 1.20mL Solvent
A3041100R046	Pursuit 3 Diphenyl, S100X4.6 Repl 1.20mL Solvent
A7001100X046	Pursuit 3 PAH 100 x 4.6 mm
A3041100C046	Pursuit 3 Diphenyl, S100X4.6 mm Col
A7001100R046	Pursuit 3 PAH, S100 x 4.6 Repl.
A3051100X046	Pursuit 3 PFP 100 x 4.6 mm 1.20mL Solvent
A3030100X046	Pursuit 5 C8 100 x 4.6 mm 1.20mL Solvent
A3050100X046	Pursuit 5 PFP 100 x 4.6 mm 1.20mL Solvent
A6000100C046	Pursuit XRs 5-C18 S100 x 4.6 Col 1.20mL Solvent
A6001100C046	Pursuit XRs 3-C18 S100 x 4.6 Col 1.20mL Solvent
A6001100T046	Pursuit XRs 3-C18 S100 x 4.6 Repl.3 1.20mL Solvent
A6011100X046	Pursuit XRs 3 C8 100 x 4.6 mm
A6021100X046	Pursuit XRs 3 Diphenyl 100 x 4.6 mm
A6000100X046	Pursuit XRs 5 C18 100 x 4.6 mm
A6010100X046	Pursuit XRs 5 C8 100 x 4.6 mm
A6020100X046	Pursuit XRs 5 Diphenyl 100 x 4.6 mm
A7001100C046	Pursuit 3 PAH, S100 x 4.6 Col
A7001100T046	Pursuit 3 PAH, S100 x 4.6 Repl.3 1.20mL Solvent

Section 1. Identification

A7001100T046ANL	ANL Pursuit 3 PAH, S100 x 4.6 Repl.3 1.20mL Solvent
A6000100R046	Pursuit XRs 5-C18 S100 x 4.6 Repl. 1.20mL Solvent
A3040250C030	Pursuit 5 Diphenyl, S250X3.0 Col 1.27mL Solvent
A3040250X030	Pursuit 5 Diphenyl 250 x 3.0 mm 1.27mL Solvent
A3050250X030	Pursuit 5 PFP 250 x 3.0 mm
A6000250C030	Pursuit XRs 5-C18 S250 x 3.0 Col
A6000250X030	Pursuit XRs 5 C18 250 x 3.0 mm
A7000250C030S	S Pursuit 5 PAH 250 x 3.0 mm Col 1.27mL Solvent
A6020250X030	Pursuit XRs 5 Diphenyl 250 x 3.0 mm 1.27mL Solvent
A3030150X039	Pursuit 5 C8 150 x 3.9 mm 1.29mL Solvent
A6000150X040	Pursuit XRs 5 C18 150 x 4.0 mm
A6010150X040	Pursuit XRs 5 C8 150 x 4.0 mm
A6020150X040	Pursuit XRs 5 Diphenyl 150 x 4.0 1.36mL Solvent
A6000120X046	Pursuit XRs 5 C18 120 x 4.6 mm
A6000125X046	Pursuit XRs 5 C18 125 x 4.6 mm
A6010125X046	Pursuit XRs 5 C8 125 x 4.6 mm
A3030150C046	Pursuit 5 C8 S150X4.6 Col
A3032150X046	Pursuit 10 C8 150 x 4.6 mm
A3031150C046	Pursuit 3 C8 , S150x4.6 Col
A3031150X046	Pursuit 3 C8 150 x 4.6 mm
A3031150R046	Pursuit 3 C8, S150x4.6 Repl
A3041150X046	Pursuit 3 Diphenyl 150 x 4.6 mm 1.80mL Solvent
A3040150C046	Pursuit 5 Diphenyl, S150X4.6 Col 1.80mL Solvent
A7001150X046S	S Pursuit 3 PAH 150 x 4.6 mm conv. Column 1.80mL Solvent
A7001150R046	Pursuit 3 PAH, S150 x 4.6 Repl.
A3041150T046	Pursuit 3 Diphenyl, S150X4.6 Repl.3 1.80mL Solvent
A3051150X046	Pursuit 3 PFP 150 x 4.6 mm
A3030150X046	Pursuit 5 C8 150 x 4.6 mm
A3040150X046	Pursuit 5 Diphenyl 150 x 4.6 mm 1.80mL Solvent
A7000150X046	Pursuit 5 PAH 150 x 4.6 mm
A7000150R046	Pursuit 5 PAH, S150 x 4.6 Repl.
A3050150X046	Pursuit 5 PFP 150 x 4.6 mm
A6000150C046	Pursuit XRs 5-C18 S150 x 4.6 Col 1.80mL Solvent
A6001150C046	Pursuit XRs 3-C18 S150 x 4.6 Col 1.80mL Solvent
A6011150X046	Pursuit XRs 3 C8 150 x 4.6 mm
A6021150X046	Pursuit XRs 3 Diphenyl 150 x 4.6 mm
A6010150C046	Pursuit XRs 5-C8 S150 x 4.6 Col
A6000150X046	Pursuit XRs 5 C18 150 x 4.6 mm
A6010150X046	Pursuit XRs 5 C8 150 x 4.6 mm
A7000150C046	Pursuit 5 PAH, S150 x 4.6 Col
A7000150T046	Pursuit 5 PAH, S150 x 4.6 Repl.3
A6020150X046	Pursuit XRs 5 Diphenyl 150 x 4.6 mm
A7001150C046	Pursuit 3 PAH, S150 x 4.6 Col.
A7001150T046	Pursuit 3 PAH, S150 x 4.6 Repl.3
A6000150R046	Pursuit XRs 5-C18 S150 x 4.6 Repl. 1.80mL Solvent
A3030250X040	Pursuit 5 C8 250 x 4.0 mm
A6000250X040	Pursuit XRs 5 C18 250 x 4.0 mm
A6010250X040	Pursuit XRs 5 C8 250 x 4.0 mm
A3050200X046	Pursuit 5 PFP 200 x 4.6 mm
A6000200X046	Pursuit XRs 5 C18 200 x 4.6 mm
A3032050G100	Pursuit 10u C8 50 x 10.0 mm Guard
A6002050G100	Pursuit XRs 10 C18 50 x 10.0 mm Guard
A6000050DG100S	OS Pursuit XRs 5 C18 Dynamax Guard ½
A6000050X100	Pursuit XRs 5 C18 50 x 10.0 mm
A6000050G100	Pursuit XRs 5 C18 50 x 10.0 mm Guard
A3030250C046	Pursuit 5 C8, S250x4.6 Col
A3032250X046	Pursuit 10 C8 250 x 4.6 mm
A3041250X046	Pursuit 3 Diphenyl 250 x 4.6 mm 2.99mL Solvent
A3040250C046	Pursuit 5 Diphenyl, S250X4.6 Col 2.99mL Solvent
A3030250X046	Pursuit 5 C8 250 x 4.6 mm 2.99mL Solvent
A3030250R046	Pursuit 5 C8, S250x4.6 Repl 2.99mL Solvent
A3040250X046	Pursuit 5 Diphenyl 250 x 4.6 mm 2.99mL Solvent
A7000250X046	Pursuit 5 PAH 250 x 4.6 mm
A7000250R046	Pursuit 5 PAH, S250 x 4.6 Repl.

Section 1. Identification

A3050250X046	Pursuit 5 PFP 250 x 4.6 mm
A6000250C046	Pursuit XRs 5-C18 S250 x 4.6 Col2.99mL Solvent
A6002250X046	Pursuit XRs 10 C18 250 x 4.6 mm 2.99mL Solvent
A6000250T046	Pursuit XRs 5-C18 S250 x 4.6 Repl.3 2.99mL Solvent
A6011250X046	Pursuit XRs 3 C8 250 x 4.6 mm
A6021250X046	Pursuit XRs 3 Diphenyl 250 x 4.6 mm
A6000250X046	Pursuit XRs 5 C18 250 x 4.6 mm
A6010250X046	Pursuit XRs 5 C8 250 x 4.6 mm
A7000250C046	Pursuit 5 PAH, S250 x 4.6 Col
A7000250T046	Pursuit 5 PAH, S250 x 4.6 Repl.3 2.99mL Solvent
A6020250X046	Pursuit XRs 5 Diphenyl 250 x 4.6 mm 2.99mL Solvent
A6000250R046	Pursuit XRs 5-C18 S250 x 4.6 Repl. 2.99mL Solvent
A3040150X080	Pursuit 5 Diphenyl 150 x 8.0 mm 5.43mL Solvent
A6020100X100	Pursuit XRs 5u DP 100 x 10.0 mm 5.66mL Solvent
A3041150X100	Pursuit 3u DP 150 x 10.0 mm
A3050150X100	Pursuit 5u PFP 150 x 10.0 mm
A6002150X100	Pursuit XRs 10 C18 150x10.0 mm 8.48mL Solvent
A6010150X100	Pursuit XRs 5u C-8 150 x 10.0 mm 8.48mL Solvent
A6000150X100	Pursuit XRs 5 C18 150 x 10.0 mm 8.48mL Solvent

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Section 2. Hazards identification

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

2.1 Classification of the substance or mixture

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

H225 FLAMMABLE LIQUIDS - Category 2
H319 EYE IRRITATION - Category 2A
H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

2.2 GHS label elements

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H225 - Highly flammable liquid and vapor.
H319 - Causes serious eye irritation.
H373 - May cause damage to organs through prolonged or repeated exposure. (blood system, central nervous system (CNS), kidneys, liver)

Precautionary statements

Section 2. Hazards identification

- Prevention** : P280 - Wear eye or face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 - Do not breathe vapor.
- Response** : P314 - Get medical advice or attention if you feel unwell.
- Storage** : P403 + P235 - Store in a well-ventilated place. Keep cool.
- Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other hazards

- Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

This article, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. The substance or mixture is encapsulated in the article. Only if released due to use or processing of the article in a manner not in accordance with the product's directions for use it may present potential health and safety hazards.

- Substance/mixture** : Mixture (encapsulated in article)

Ingredient name	%	CAS number
Acetonitrile	≥10 - <25	75-05-8

Contains: Organosilane bonded silica gel

Note: To the best of our knowledge, the acute and chronic toxicological properties of bonded silica gels have not been investigated. This product contains synthetic amorphous silica, and should not be confused with crystalline silica such as quartz, cristobalite, or tridymite, or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms of silica.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Specific hazards arising from the chemical** : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
cyanides

Section 5. Fire-fighting measures

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- 7.2 Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 7. Handling and storage

7.3 Specific end use(s)

- Recommendations** : Industrial applications, Professional applications.
Industrial sector specific solutions : Not available.

Section 8. Exposure controls/personal protection

Since the hazardous ingredient in this article is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Acetonitrile	<p>ACGIH TLV (United States, 3/2020). Absorbed through skin. TWA: 20 ppm 8 hours.</p> <p>OSHA PEL 1989 (United States, 3/1989). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours. STEL: 60 ppm 15 minutes. STEL: 105 mg/m³ 15 minutes.</p> <p>NIOSH REL (United States, 10/2016). TWA: 20 ppm 10 hours. TWA: 34 mg/m³ 10 hours.</p> <p>OSHA PEL (United States, 5/2018). TWA: 40 ppm 8 hours. TWA: 70 mg/m³ 8 hours.</p>

8.2 Exposure controls

Appropriate engineering controls

- : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Section 8. Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid. (containing flammable liquid)
- Color** : White.
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : Neutral.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: -18 to 23°C (-0.4 to 73.4°F)
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Contains: Flammable liquid
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : Not available.
- Solubility** : Mobile phase: Soluble
Stationary phase: Insoluble
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.

Section 10. Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
- 10.5 Incompatible materials** : Reactive or incompatible with the following materials:
oxidizing materials
Incompatible with hydrogen fluoride.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Acetonitrile	LC50 Inhalation Vapor LD50 Oral	Rat Rat	17100 ppm 2460 mg/kg	4 hours -

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Acetonitrile	Category 2	-	blood system, central nervous system (CNS), kidneys, liver

Aspiration hazard

Section 11. Toxicological information

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

General : May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<input checked="" type="checkbox"/> Pursuit LC Columns with less than 10 ml ACN type solvent	2083.3	4583.3	N/A	45.8	N/A
Acetonitrile	500	1100	N/A	11	N/A

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Acetonitrile	Acute IC50 3685000 µg/l Fresh water Acute LC50 3600000 µg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic NOEC 1000000 µg/l Fresh water Chronic NOEC 160000 µg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Pimephales promelas Aquatic plants - Lemna minor Daphnia - Daphnia magna	96 hours 48 hours 96 hours 96 hours 21 days

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Acetonitrile	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	70 % - Readily - 21 days	-	Activated sludge

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Acetonitrile	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Acetonitrile	-0.34	3	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Toxic hazardous waste "U" List

Ingredient	CAS #	Status	Reference number
Acetonitrile (I,T)	75-05-8	Listed	U003

Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

This Safety Data Sheet is written based on the encapsulated substance or mixture in this article. Since the hazardous ingredient is encapsulated, the risk of exposure by inhalation, ingestion, skin contact and eyes contact is minimum.

DOT / TDG / Mexico / IMDG / : Not regulated.

IATA

Additional information

Remarks: Special provisions

DOT: 47

TDG: 56

MX: 216

IATA: A46

IMDG: 216

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : **TSCA 8(a) PAIR:** Acetonitrile
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 307: Acetonitrile

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

Section 15. Regulatory information

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : **FLAMMABLE LIQUIDS - Category 2**
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Composition/information on ingredients

Name	%	Classification
Organosilane bonded silica gel Acetonitrile	≥50 - ≤75 ≥10 - <25	COMBUSTIBLE DUSTS FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Acetonitrile	75-05-8	≥10 - <25
Supplier notification	Acetonitrile	75-05-8	≥10 - <25

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: ACETONITRILE
New York : The following components are listed: Acetonitrile; Ethanenitrile
New Jersey : The following components are listed: ACETONITRILE; CYANOMETHANE
Pennsylvania : The following components are listed: ACETONITRILE

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.
Canada : Not determined.
China : All components are listed or exempted.
Europe : All components are listed or exempted.

Section 15. Regulatory information

Japan	: Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: All components are listed or exempted.
United States	: <input checked="" type="checkbox"/> All components are active or exempted.
Viet Nam	: Not determined.

Section 16. Other information

History

Date of issue	: 06/04/2021
Date of previous issue	: 09/27/2018
Version	: 5

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations
-----------------------------	---

Procedure used to derive the classification

Classification	Justification
<input checked="" type="checkbox"/> FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	On basis of test data Calculation method Calculation method

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.