

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
Classification according to Regulation (EC) No. 1272/2008 [CLP]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product code	TS-45950
Product name	MOX Reagent
Chemical Name	Not Applicable
REACH registration number	No registration number is given yet for this substance / substances in this mixture since the annual import quantity is less than one tonnage per annum or the transition period for its registration according to Article 23 of REACH has not yet expired.

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	For research use only
Use Description Code	SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen), PROC15 - Use as laboratory reagent, PC21 - Laboratory chemicals, SU24 - Scientific research and development
Uses advised against	Not for consumer use.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

LIFE TECHNOLOGIES EUROPE BV
KWARTSWEG 2
2665 NN BLEISWIJK
NETHERLANDS
31-(0)180 392 400
Email: MSDS@lifetech.com

Thermo Fisher Scientific
Pierce Biotechnology
P.O. Box 117
Rockford, IL 61105
United States
1.815.968.0747 or
1.800.874.3723

Life Technologies Limited
3 Fountain Drive
Inchinnan Business Park
Paisley
PA4 9RF, UK
+44 (0)141 814 6100

24 hour Emergency Response for Hazardous Materials [or Dangerous Goods] Incident. Spill, Leak, Fire, Exposure, or Accident. Call CHEMTREC Within the USA + Canada: 1-800-424-9300 and 1-703-527-3887
Outside the USA + Canada: 1-703-741-5970

Country Specific Emergency Number (if available):

CHEMTREC Ireland (Dublin)	+(353)-19014670 (Greeting Language: English and Irish)
CHEMTREC UK (London)	+(44)-870-8200418 (Greeting Language: English)

Revision date 30-Jun-2020
Product code TS-45950

Page 1 / 12
Product name MOX Reagent

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards

Flammable liquids	Category 2
-------------------	------------

Health hazards

Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute inhalation toxicity	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Environmental hazards

Chronic aquatic hazard	Category 3
------------------------	------------

Additional information

No information available

Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapour
H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H332 - Harmful if inhaled
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P264 - Wash hands thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P270 - Do not eat, drink or smoke when using this product

Revision date 30-Jun-2020
Product code TS-45950

Page 2 / 12
Product name MOX Reagent

P273 - Avoid release to the environment

Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards

Not Applicable

SECTION 3: Composition/information on ingredients

Chemical Name	CAS No	EINECS-No.	Weight-%	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Pyridine	110-86-1	203-809-9	95-98	-	Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Acute Tox. 4 - H312 Acute Tox. 4 - H302
Methoxyammonium chloride	593-56-6	-	1-3	-	-

SECTION 4: First aid measures

Description of first aid measures

Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Immediate medical attention is required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If symptoms persist, call a doctor.
Notes to Physician	Treat symptomatically.

Most important symptoms and effects, both acute and delayed

H225 - Highly flammable liquid and vapour H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H412 - Harmful to aquatic life with long lasting effects

Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. If skin irritation occurs: Get medical advice/ attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media
Unsuitable extinguishing media

Water spray. Carbon dioxide (CO₂). Foam. Dry chemical.
Do not use water jet.

Special hazards arising from the substance or mixture

Highly flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Avoid contact with skin, eyes or clothing
Use personal protection equipment
See section 8 for more information

Environmental precautions

No special environmental precautions required. Avoid discharge into drains and waterways whenever possible.

Methods and material for containment and cleaning up

Soak up with inert absorbent material.

Reference to other sections

See section 8 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Always wear recommended Personal Protective Equipment. See section 8 for more information. Do not get in eyes, on skin, or on clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use adequate ventilation and/or wear appropriate respirator.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. Store in accordance with local regulations.

Storage Conditions

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F).

Specific end use(s)

For research use only.

SECTION 8: Exposure controls/personal protection

Control parameters

Chemical Name	EU OEL (TWA)	EU OEL (STEL)	EU Skin Notation
Pyridine 110-86-1	None	None	None
Methoxyammonium chloride 593-56-6	None	None	None

Chemical Name	Austria	Belgium (TWA)	Czech Republic
Pyridine 110-86-1	5 ppm 15 mg/m ³	1 ppm 3.3 mg/m ³	5 mg/m ³ TWA 10 mg/m ³ Ceiling Potential for cutaneous absorption
Methoxyammonium chloride 593-56-6	None	None	None

Chemical Name	Denmark (TWA)	Finland OEL (TWA)	France OEL (VME)
Pyridine 110-86-1	5 ppm 15 mg/m ³	16 mg/m ³ 5 ppm	5 ppm 15 mg/m ³
Methoxyammonium chloride 593-56-6	None	None	None

Chemical Name	Germany OEL (TWA)	Ireland (TWA)	Italy OEL (TWA)
Pyridine 110-86-1	None	5 ppm 15 mg/m ³	None
Methoxyammonium chloride 593-56-6	None	None	None

Chemical Name	Lithuania OEL (TWA)	Netherlands OEL (MAC)	Norway
Pyridine 110-86-1	5 ppm 15 mg/m ³	0.9 mg/m ³	5 ppm TWA 15 mg/m ³ TWA 10 ppm STEL 22.5 mg/m ³ STEL
Methoxyammonium chloride 593-56-6	None	None	None

Chemical Name	Poland	Portugal	Spain OEL (TWA)
Pyridine 110-86-1	5 mg/m ³ TWA Skin Notation	5 ppm TWA 15 mg/m ³ TWA A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	1 ppm 3 mg/m ³
Methoxyammonium chloride 593-56-6	None	None	None

Chemical Name	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	United Kingdom
Pyridine 110-86-1	2 ppm TLV NGV; 7 mg/m ³ TLV NGV	10 ppm STEL 30 mg/m ³ STEL 5 ppm TWA 15 mg/m ³ TWA	5 ppm TWA; 16 mg/m ³ TWA
Methoxyammonium chloride 593-56-6	None	None	None

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Exposure controls

Personal protection equipment

Respiratory protection

In case of insufficient ventilation wear respirators and components tested and

approved under appropriate government standards.

Hand protection Wear suitable gloves Glove material: Compatible chemical-resistant gloves.

Eye protection Tight sealing safety goggles.

Skin and Body Protection Wear laboratory coat for body protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls
No special environmental precautions required.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	liquid	
Colour	Colourless	
Odour	No data	
Odour Threshold	No data	
Molecular Weight	No data	
Melting point / melting range	°C No data	°F No data
Boiling point / boiling range	°C No data	°F No data
Flash point	°C 20	°F 68
Autoignition Temperature	°C No data	°F No data
Decomposition temperature	°C No data	°F No data
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Upper explosion limit	No data	
Lower explosion limit	No data	
Vapour Pressure	No data	
Vapour density	No data	
Relative density	No data	
Specific gravity	No data	
Solubility	No data	
Partition coefficient: n-octanol/water	No data	
Viscosity	No data	
Explosive properties	No data	
Oxidising properties	No data	

Other information

No data.

SECTION 10: Stability and reactivity

Reactivity	None known.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous reaction has not been reported.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	Oxidising agent.
Hazardous decomposition products	Carbon dioxide. Carbon monoxide. Nitrogen oxides (NOx). halogenated compounds.

SECTION 11: Toxicological information

Information on toxicological effects

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Pyridine	= 891 mg/kg (Rat) = 866 mg/kg (Rat)	No data available	=28500mg/m ³ (Rat) =12.898mg/L(Rat)
Methoxyammonium chloride	No data available	No data available	No data available

Principal Routes of Exposure

Skin corrosion/irritation	Skin irritation
Serious eye damage/irritation	Irritating to eyes
Respiratory or skin sensitisation	Data are conclusive but insufficient for classification
Specific target organ toxicity (STOT) – single exposure	Data are conclusive but insufficient for classification
Specific target organ toxicity (STOT) – repeated exposure	Data are conclusive but insufficient for classification
Carcinogenicity	Data are conclusive but insufficient for classification
Germ cell mutagenicity	Data are conclusive but insufficient for classification
Reproductive Toxicity	Data are conclusive but insufficient for classification
Aspiration Hazard	Data are conclusive but insufficient for classification

SECTION 12: Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Microtox Data	log Pow
Pyridine	Tetrahymena pyriformis EC50=520 mg/L (24 h)	Daphnia magna EC50=520 mg/L (24 h)	No data available	No data available	logPow0.65
Methoxyammonium chloride	No data available	No data available	No data available	No data available	No data available

Mobility in soil No information available.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Results of PBT and vPvB assessment

No information available.

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in accordance with approved disposal technique. Disposal of this product, its solutions or of any by-products, shall comply with the requirements of all applicable local, regional or national/federal regulations.

SECTION 14: Transport information

IATA / ADR / DOT-US / IMDG

Classified as dangerous in the meaning of transport regulations

UN number	2924
UN proper shipping name	Flammable liquid, corrosive, n.o.s.(Methoxyammonium chloride, Pyridine)
Transport hazard class(es)	3(8)
Packing group	II

Environmental hazards

Not Applicable

Revision date 30-Jun-2020
Product code TS-45950

Page 9 / 12
Product name MOX Reagent

Special precautions for user

Not Applicable

Transport in bulk according to Annex II of MARPOL and the IBC Code

Not Applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture**Substances of Very High Concern**

None.

Substance subject to authorisation per REACH Annex XIV

None

Restricted substances under EC 1907/2006, Annex XVII

None.

Substances listed under Annex I of Regulation (EC) No 689/2008

None.

Restricted substances under Annex V of Regulation (EC) No 689/2008

None.

Substances under Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

None.

German Water hazard classes (Wassergefährdungsklassen)

Chemical Name	Weight-%	Water hazard class (WGK)
Pyridine	95-98	hazard class 2 - obviously hazardous to water
Methoxyammonium chloride	1-3	hazard class 3 - highly hazardous to water

Other International Inventories

Chemical Name	EINECS (European Union)	ELINCS (European List of Notified Chemical Substances)	ENCS (Japan)	PICCS (Philippines)
Pyridine	Listed	-	Listed	Listed
Methoxyammonium chloride	Listed	-	-	Listed

Chemical Name	AICS (Australia)	South Korea (KECL)	Canada (DSL)	NDSL
Pyridine	Listed	Listed	Listed	-
Methoxyammonium chloride	Listed	Listed	Listed	-

Chemical safety assessment

No Chemical safety assessment has been carried out.

SECTION 16: Other information

Reason for revision Update according to Commission Regulation (EU) No 830/2015
Revision number 3
Revision date 30-Jun-2020

References

- ECHA: <http://echa.europa.eu/>
- TOXNET: <http://toxnet.nlm.nih.gov/>
- eChemPortal: <http://www.echemportal.org/>
- LOLI database: <https://www.chemadvisor.com/loli-database>

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flammable liquids	Category 2	Calculation method
Acute oral toxicity	Category 4	Calculation method
Acute dermal toxicity	Category 4	Calculation method
Acute inhalation toxicity	Category 4	Calculation method
Skin corrosion/irritation	Category 2	Calculation method
Serious eye damage/eye irritation	Category 2	Calculation method
Chronic aquatic hazard	Category 3	Calculation method

Abbreviations and acronyms

TWA - Time-Weighted Average
OELs - Occupational Exposure Limits
STEL - Short Term Exposure Limit
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
KECL - Korean Existing and Evaluated Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
CEPA - Canadian Environmental Protection Act
EPA - Environmental Protection Agency
OSHA - Occupational Safety and Health Administration of the US Department of Labour
IATA - International Air Transport Association
DOT - Department of Transportation
IMDG - International Maritime Dangerous Goods
ACGIH - American Conference of Governmental Industrial Hygienists
NIOSH - National Institute for Occupational Safety and Health
AIHA - American Industrial Hygiene Association
HMIS - Department of Defense Hazardous Materials Information System
NTP - National Toxicology Program
IARC - International Agency for Research on Cancer

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR

Revision date 30-Jun-2020
Product code TS-45950

Page 11 / 12
Product name MOX Reagent

PURPOSE"

Revision date 30-Jun-2020
Product code TS-45950

Page 12 / 12
Product name MOX Reagent